WO 2005/037249 PCT/KR2004/002698

## What is claimed is:

5

10

15

20

25

- 1. An oral microemulsion composition for treating a liver disease, which comprises biphenyldimethyldicarboxylate (BDD) and silybin or a derivative thereof, or a *Carduus marianus* extract containing silybin and derivatives thereof, as active ingredients; a co-surfactant; a surfactant; and an oil.
- 2. The oral microemulsion composition of claim 1, wherein the silybin derivative is silycristin, silydiamin or isosilybin.
- 3. The oral microemulsion composition of claim 1, wherein the biphenyldimethyldicarboxylate: Carduus marianus extract: co-surfactant: surfactant: oil ratio by weight is in the range of 1: 1~100: 10~150: 5~100: 1~50.
- 4. The oral microemulsion composition of claim 1, wherein the biphenyldimethyldicarboxylate: silybin or the silybin derivative: cosurfactant: surfactant: oil ratio by weight is in the range of 1: 0.3~33: 10~150: 5~100: 1~50.
- 5. The oral microemulsion composition of claim 1, wherein the cosurfactant is selected from the group consisting of ethanol, propyleneglycol, polyethyleneglycol, propylene carbonate, transcutol, glycofurol, dimethyl isosorbide and a mixture thereof.
- 6. The oral microemulsion composition of claim 5, wherein the cosurfactant is transcutol.
- 7. The oral microemulsion composition of claim 1, wherein the surfactant is selected from the group consisting of: polyoxyethylene glycolated natural or hydrogenated vegetable oils, polyoxyethylene-sorbitan-fatty acid esters,

polyoxyethylene fatty acid esters; polyoxyethylene-polyoxypropylene copolymers; polyoxyethylene-polyoxypropylene block copolymers; sodium dioctyl sulfosuccinate; sodium lauryl sulfate; phospholipids; propylene glycol mono- or di-fatty acid esters; trans-esterification products of natural vegetable oil triglycerides and polyalkylene polyols; mono-, di- or mono/di-glycerides, sorbitan fatty acid esters; sterols or derivatives thereof; and a mixture thereof.

5

- 8. The oral microemulsion composition of claim 7, wherein the surfactant is selected from the group consisting of polyoxyethylene glycolated natural or hydrogenated vegetable oils, polyoxyethylene-sorbitan-fatty acid esters and a mixture thereof.
- 9. The oral microemulsion composition of claim 1, wherein the oil is selected from the group consisting of: medium chain fatty acid triglycerides; mono-, dior mono/di-glycerides; monovalent alkanol esters of fatty acids; natural vegetable or animal oils; squalene; squalane; oleic acid; linoleic acid; and a mixture thereof.
- 10. The oral microemulsion composition of claim 9, wherein the oil is selected from the group consisting of medium chain fatty acid triglycerides, mono-, di- or mono/di-glycerides, esters of fatty acids and monovalent alkanols and a mixture thereof.
- 25 11. The oral microemulsion composition of claim 1, which forms microparticles having an average particle size of less than 1  $\mu$ m upon contact with an aqueous medium.